

Section 01450

CONTRACTOR'S QUALITY CONTROL

PART 1 GENERAL

1.01 SECTION INCLUDES

- A. Quality assurance and control of installation and manufacturers' field services and reports.

1.02 MEASUREMENT AND PAYMENT

- A. No payment will be made for this item. Include cost of Contractor's quality control in overhead cost for this project.

1.03 QUALITY ASSURANCE/CONTROL OF INSTALLATION

- A. Monitor quality control over suppliers, manufacturers, products, services, site conditions and workmanship, to produce Work of specified quality at no additional cost to City.
- B. Comply fully with manufacturers' installation instructions, including each step in sequence.
- C. Request clarification from City Engineer before proceeding when manufacturers' instructions conflict with Contract.
- D. Comply with specified standards as minimum requirements for Work except when more stringent tolerances, codes, or specified requirements indicate higher standards or more precise workmanship.
- E. Perform Work by persons qualified to produce specified level of workmanship.

1.04 REFERENCES

- A. Obtain copies of standards and maintain at job site when required by individual Specification sections.

1.05 MANUFACTURERS' FIELD SERVICES AND REPORTS

- A. When specified in individual Specification sections or as required by City Engineer, provide material or product suppliers' or manufacturers' technical representative to observe site conditions, conditions of surfaces and installation, quality of workmanship, start-up of equipment, operator training, test, adjust and balance of equipment as applicable and to initiate operation, as required. Conform to minimum time requirements for start-up operations and operator training when defined in Specification sections.

- B. At City Engineer's request, submit qualifications of manufacturers' representative to City Engineer 15 days in advance of required representatives' services. Representative is subject to approval by City Engineer.
  
- C. A manufacturers' representative is to report observations and site decisions or instructions given to applicators or installers that are supplemental or contrary to a manufacturer's written instructions. Submit report within 14 days of observation to City Engineer for review.

PART 1 PRODUCTS - Not Used

PART 2 EXECUTION - Not Used

END OF SECTION