

Section 03316

SEAL SLABS

PART 1 GENERAL

1.01 SECTION INCLUDES

- A. Concrete seal slabs.

1.02 MEASUREMENT AND PAYMENT

- A. Unit Prices.

1. Payment for seal slabs is on cubic yard basis, calculated from measured surface area of slabs, in place, multiplied by slab depths indicated on Drawings.
2. Refer to Section 01270 - Measurement and Payment for unit price procedures.

- B. Stipulated Price (Lump Sum). If Contract is Stipulated Price Contract, payment for work in this Section is included in total Stipulated Price.

1.03 SUBMITTALS

- A. Conform to requirements of Section 01330 - Submittal Procedures.
- B. Submit design mix and test data, prepared by certified independent testing laboratory employed and paid by Contractor, for each type and strength of concrete in project. Include manufacturer's technical information for each type of admixture proposed for use on project.

PART 2 PRODUCTS

2.01 MATERIALS

- A. Concrete: Class B concrete with minimum compressive strength at 28 days of 1500 psi, conforming to Section 03315 - Concrete for Utility Construction.

PART 3 EXECUTION

3.01 PLACEMENT OF SEAL SLABS

- A. Place seal slabs at locations indicated on Drawings or as directed by City Engineer.

- B. Excavate trench or other excavation to depth required for pipe or other installation, plus depth of seal slab. Do not over-excavate.
- C. Place seal slabs within 4 hours of excavation to final grade.

END OF SECTION